LED Name Badge User Manual

一： Specifications：

all can be changed by car used for 12V

二： Detailed instructions：

1： Product illustrations

2:： Packing list:

Components	Qty
(Led name tag)	1 pcs
(charger)	1pcs
(cable)	1pcs
(CD disc)	1pcs

三：Driver software installation and operation:

Step 1: Insert the Driver and Utility CD into CD drive, below files will be found

Step 2：Please click the “Mini LED Display”,it will be install the software, please chose allow this program continue installing, see as below:

MiniLED Display
Welcome to the MiniLED Display Setup Wizard
The installer will guide you through the steps required to install MiniLED Display on your computer.
WARNING: This computer program is protected by copyright law and international treaties. Unauthorized duplication or distribution of this program, or any portion of it, may result in severe civil or criminal penalties, and will be prosecuted to the maximum extent possible under the law.
Cancel
< Back
Next >

Step 3: Chose your Destination Folder then click next: (Default is recommended, click next directly)


MiniLED Display
Select Installation Folder
The installer will install MiniLED Display to the following folder.
To install in this folder, click "Next". To install to a different folder, enter it below or click "Browse".
Folder:
C:\Program Files\MiniLED Display\
Browse...
Disk Cost...
Install MiniLED Display for yourself, or for anyone who uses this computer:
Everyone
Just me
Cancel
< Back
Next >

Step 4: click next:


MiniLED Display
Confirm Installation
The installer is ready to install MiniLED Display on your computer.
Click "Next" to start the installation.
Cancel
< Back
Next >

Step 5：Install USB transform to RS232 program, Auto run window appears automatically after above program finished installation, click on **Yes** button to start, see as below:



Click **YES**, then installation will be finished and exited

Step 6: The icon will be found on your desktop after the program been installed properly, double click it, and then comes below dialog box:

Step 7: Click Option **setting**, pick your item mold, then click **ok** to confirm.



Step 8：Turn on the led display, and connect USB cable, **Com** sign will be detected and show up, also you can check it manually: right" Click→property→hardware→ Device manager:



Step 9: input your message, click send!

If you want to input or edit image or animations, please follow below steps:

click "edit image", see as below:

Click "File" -> "New", start a new image



Set "Height" 12, and color "monochrome", then click "OK"



And then the image can be zoomed, choose “View” - > **Zoom In** or “**Ctrl+I**”



Click **red paint** or **eraser** icon, and use right or Left key of mouse for paint white or black, save as BMP file after finish, then can be applied with the program.

四： How to charge for Led name tag(Badge)

It requires recharge when the power is running out or brightness reduced obviously. Please follow below steps: Turn off Led name tag, connect charger and dada cable, Indicator lamp lighted; capacity will be full after about 3 hours, and the battery will automatically shut down if it does not to be disconnected.

五： Common questions

1、What should we do if computer alarmed with “troy’s virus”?
This case is only happened when you computer is installed with “360 virus killer” software, please chose trust this program then continue.

2、What should we do if the com interface does not show up after led name tag installed with computer?
Check if the driver software is installed properly, and if it is first time install driver software, please re-connect data cable and let it install automatically

3、What should we do if the program is jammed or shut down?
Please make sure all content has to be sent completely before pulling out the led name tag.

4、What should we do if Chinese characters do not be displayed completely when display with rolling subtitles?
Name tag with 12 rows dots Pixels takes the top and bottom line when display rolling subtitles, we can change the form of Chinese characters as image form, then set it display with 10 rows only.

5、Is the same driver software used for both Led name tag (badge)and led desk board?
Yes, same driver software is used for all of our products, only you have to do is chose properly model